

10/554300

JC20 Rec'd PGT/PTO 25 OCT 2005
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Andrew J. Hayman

Group Art Unit: N/A

Serial No.: N/A

Examiner: N/A

Filed: Herewith

Atty. Dkt. No.: 21.1041

For: An Improved Shielded Apparatus for
Electrically Exploring Geological Formation
Through which a Borehole Passes

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56, it is respectfully requested that this Information Disclosure Statement be entered and the documents listed on attached Form PTO-1449 be considered by the Examiner and made of record. Copies of the listed documents required by 37 C.F.R. § 1.98(a)(2) are enclosed for the convenience of the Examiner.

The present Information Disclosure Statement is being filed prior to the receipt of a first Official Action reflecting an examination on the merits, and hence is believed to be timely filed in accordance with 37 C.F.R. § 1.97(b). No fees are believed to be due in connection with the filing of this Information Disclosure Statement, however, should any fees under 37 C.F.R. §§ 1.16 to 1.21 be deemed necessary for any reason relating to these materials, the Assistant Commissioner is hereby authorized to deduct said fees from Deposit Account No. 50-2183.


Applicant respectfully requests that the listed documents be made of record in the present case.

10/554300

1020 RECEIVED 25 OCT 2005

Schlumberger Technology Corporation
Sugar Land Product Center
Intellectual Property Law & Contracts
200 Gillingham Lane
Sugar Land, Texas 77478
(281) 285-4562
(281) 285-4232 (Fax)

Respectfully submitted,


Victor H. Segura
Reg. No. 44,329

Date: 24-Oct-05

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

US 21.1041-PCT

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.